Powell River

Community Health Profile



This report provides an overview of health and wellness in Powell River that will give residents, community agencies and local governments a better understanding of the factors influencing health in their community. Our hope is that this information will help spark community level dialogue on actions to create health promoting environments and reduce health inequities.

HIGHLIGHTS

- Overall general and mental health is comparable to health authority and regional average.
- Among the highest prevalence across the health region for obesity and chronic diseases such as hypertension and arthritis.
- Access to primary care is comparable to health authority average.
- A car dependent community with less opportunity for active modes of transportation.
- Above average elements of community resiliency such as personal emergency preparedness and strong sense of community belonging.
- These community level data will contribute to the work of the District's official community plan.



POWELL RIVER (REGIONAL DISTRICT) POPULATION 18+ YEARS (CENSUS 2011) = 16,510

○ COMMUNITY DEMOGRAPHICS										
•••••	····· GENDER ······									
98	Female	55%								
	Male	45%								
AGE (YEARS)										
	18-39	20%								
	40-64	53%								
	65+	27%								
BIRTH PLACE										
(2)	Born in Canada	83%								
	····· EDUCATION ······									
	Below high school	S								
	High school	30%								
	Certificate or diploma									
	University degree	13%								
	HOUSEHOLD INCOME									
	Under \$40,000	29%								
\$	\$40,000 to \$79,999	42%								
	\$80,000 to \$119,999	18%								
	\$120,000 & above	11%								
····· EMPLOYMENT ·····										
	Employed	56%								
	Not in labour force	37 %								
	Unemployed	S								
	····· ETHNICITY ······	······································								
(3)	Aboriginal	s								
	Caucasian	92%								
	Chinese	S								
	South Asian	S								
	Other	S								







S = supressed



Survey and participant recruitment

The My Health My Community survey was conducted between June 2013 and July 2014. People who responded to the survey were 18 years of age or older and lived within the Vancouver Coastal or Fraser Health regions. The survey was available online, in both English and Chinese, and printed versions were also available in English, Chinese and Punjabi. To ensure that we reached all segments of our population, our field outreach team also administered the survey in person in community settings (e.g. community events, seniors groups, homeless shelters).

Overall, more females responded to the survey than males and more responses were received from some geographic areas and population groups than others. Due to the nature of survey responses, it is common practice to "weight" survey results using the most recent census data (2011) to account for these differences. After all of the surveys were completed, we used statistical "weighting" to balance the results so that they represent the population of the geographic region specified. For example, if the responses were 65% female and 35% male, after weighting the responses represent a population that is 51% female and 49% male – closer to the actual values based on census data.

The results in this profile may differ from other publicly reported surveys, e.g. Canadian Community Health Survey, National Household Survey etc., due to differences in methodology such as recruitment, collection and reporting.

More detailed information on the survey tool and questions, recruitment of participants and calculation of indicators can be found in the My Health My Community Technical Report at: www.myhealthmycommunity.org

How to read this profile

Unless otherwise indicated, this report summarizes results for the highlighted geographical area (e.g. municipality) specified on page 1. Results for each indicator on pages 3-7 are presented for the highlighted area overall, and where possible are split into gender (male and female) and three age groups (18-39 years, 40-64 years and 65+ years). In some cases, data for a particular indicator or sub-group have not been shown (supressed) due to small sample size and this is indicated with an 'S'.

Coastal Rural averages for each indicator are represented by: (%)



Graphic bullets highlight socioeconomic differences for select indicators across the COASTAL RURAL region. Immigration, education, income and ethnicity are represented by the following graphics:





EDUCATION




INCOME



ETHNICITY

Using the spine chart

The chart on page 8 summarizes results for select indicators of health and well-being (some of which you will find on pages 3-7). In the chart, the results for the highlighted geographic area are given in the first column, along with the results for the relevant larger region (Metro Vancouver, Fraser Valley or Coastal Rural) and the results for the relevant health authority (Vancouver Coastal or Fraser Health). The chart also shows the results for the "worst" and the "best" geographic areas within that health authority. The value for the highlighted geographic area is labeled better (•) or worse (•) if the 95% confidence interval around the municipal value does not overlap with the health authority average.




To provide feedback or for any additional information please contact: info@myhealthmycommunity.org

Powell River | Healthy Behaviours

Healthy behaviours contribute to maintaining physical and mental health, and reducing the risk of chronic conditions such as heart disease, diabetes and stroke. Recommended lifestyle behaviours include (but are not limited to) consumption of 5 or more servings of fruits and vegetables per day, limiting harmful alcohol consumption, avoiding smoking, exercising moderately to vigorously for 150 or more minutes per week, and reducing screen time and other sedentary activities.

Healthy behaviours are shaped by individual choices, social and economic conditions and neighbourhood design. Community programs and policies can encourage and enable healthy behaviours and reduce the burden of chronic conditions in our communities.



ACROSS COASTAL RURAL



Healthy behaviours were higher among people with annual household income greater than \$120,000. They were less likely to smoke, more likely to consume 5+ daily servings of fruits and vegetables and less likely to report 2+ hours daily screen time compared to those with household income under \$40,000.



Healthy behaviours were higher among university graduates compared to those with less than high school education. They were 85% less likely to smoke, more than 2.5 times more likely to consume 5+ daily servings of fruits and vegetables, more likely to get 150+ minutes of weekly physical activity and almost 50% less likely to report 2+ hours of daily screen time.




Healthy behaviours differed by ethnic groups.
Compared to the Coastal Rural average, smoking
was 2 times higher and consumption of 5+ daily
fruit and vegetable servings was 50% lower among
Aboriginal people.



Canadian born were more likely to eat 5+ daily servings of fruits and vegetables, but 4 times more likely to be smokers compared to immigrants.

Powell River | Built Environment

The physical environment in which we live, work and play impacts our health. Physical components of a built environment include neighbourhood design, transportation networks, natural environment, healthy food systems and housing. Community design influences community connectedness, mental and physical health, and chronic disease outcomes by promoting healthy behaviours such as walking or cycling. Healthy built environments are a shared responsibility and require the combined efforts of community agencies, health and social services and various levels of government.



MEDIAN* COMMUTE TIME (ONE-WAY) *Middle value














WALK/CYCLE

15 min





Coastal Rural



Coastal Rural



WALK OR CYCLE FOR ERRANDS



S

AGE 18 - 39 **S** 40 - 64 **S**

65+

GENDER
Female \$
Male \$
\$ = supressed



ACROSS COASTAL RURAL



Commuting by car was almost 40% higher among those with annual household income greater than \$120,000 compared to those with income less than \$40,000. Commuting by walking or cycling was 50% lower among those with income greater than \$80,000 compared to those with income less than \$40,000.



Exposure to **second hand smoke** in public places was **lower among university graduates** compared to those with less than high school education.



Compared to Canadian born, recent immigrants were 40% less likely to commute by car and more likely to commute by transit.

Powell River | Built Environment

- WELL MAINTAINED **SIDEWALKS** IN **NEIGHBOURHOOD**
 - **AGREE**
 - Coastal Rural

- AMENITIES WITHIN WALKING OR CYCLING **DISTANCE**
- **AGREE**
- Coastal Rural

EXPOSED TO SECOND **HAND SMOKE IN PUBLIC PLACES**





Coastal Rural

S = supressed

Powell River | Community Resiliency

Support from families, friends and communities is associated with better health as it helps people deal with challenges and overcome problems. Supportive communities provide environments in which people are able to make decisions to improve their health and engage in healthy behaviours.

⇒ HAVE 4+ PEOPLE TO CONFIDE IN





AGE 18 - 39 40 - 64 65+



44%


44%

Coastal Rural residents with no one to confide in

⇒ STRONG SENSE OF COMMUNITY BELONGING







ACROSS COASTAL RURAL



Recent immigrants were less likely to report having 4+ people to confide in compared to Canadian born.



Those with annual household income of \$120,000+ were more likely to report having 4+ people to confide in.



University graduates were more likely to report having 4+ people to confide in.



Compared to the Coastal Rural average of all ethnicities, Aboriginal people were 35% less likely to report having 4+ people to confide in.

Powell River | Family Doctor

Having a family doctor plays an important role in maintaining health and preventing chronic illness. Regular contact with a health care provider ensures that recommended preventive services, like screening for early stages of disease, is timely and that chronic conditions are well-managed to prevent complications. Having a regular care provider also helps to maintain continuity of care.

AGE 18 - 39 40 - 64 65+ 95% GENDER Female Male 82% 83% 85%

ACROSS COASTAL RURAL



Compared to the Coastal Rural average, having a family doctor was 40% lower among recent immigrants.



People with annual household **income of** \$120,000+ were 15% more likely to have a family doctor compared to those with household income under \$40,000.




Having a family doctor did not differ by education level.


Powell River | Health Status

Coastal Rural

Our physical and mental health is influenced by lifestyle behaviours, access to health services, the built environment, and our social and economic situation. Self-rated health is considered to be a good measure of the general health status of a population.

SELF-RATED GENERAL HEALTH








SELF-RATED MENTAL HEALTH





63%

Coastal Rural excellent or very good

ACROSS COASTAL RURAL




University graduates were almost 3 times more likely to report excellent or very good general health and 35% more likely to report excellent or very good mental health compared to those with less than high school education.



People with annual household income \$120,000+ were 2 times more likely to report excellent or very good general health and 40% more likely to report excellent or very good mental health compared to households with annual income below \$40,000.

Powell River | Obesity

○ OBESITY (BODY MASS INDEX >=30.0)



ACROSS COASTAL RURAL



University graduates were **70% less likely to be obese** compared to those with less than high school education.



Obesity was **40% lower among immigrants** compared to Canadian born.




People with annual household **income \$120,000+** were **40% less likely to be obese** than those with annual household income less than \$40,000.


Powell River | Self-reported Chronic Conditions

Chronic conditions are a major burden on our health care system, individuals, families and communities. Strategies to prevent chronic conditions include the development of policies and programs, at a community level, which encourage and enable healthy behaviours in order to reduce risk factors for chronic conditions.


DIABETES




♦ HEART DISEASE



MOOD OR ANXIETY DISORDER



HIGH BLOOD PRESSURE



MULTIPLE CHRONIC ILLNESSES



ACROSS COASTAL RURAL



Compared to university graduates, multiple chronic conditions were 5 times higher and high blood pressure was 2 times higher among those with less than high school education. Compared to Coastal Rural overall, university graduates were 60% less likely to report diabetes.



Among people with annual household **income under \$40,000**, **high blood pressure** was **2 times higher** and **mood and anxiety disorders** were **90% higher** compared to those with annual household income \$120,000+.

Powell River (Regional District) | Community Health Indicators

The chart below summarizes select indicators of health and well-being. Results for Powell River are compared to the Coastal Rural region as well as Vancouver Coastal Health Authority.

Compared to Vancouver Coastal Health

Better Similar Worse Coastal Rural Average

Vancouver Coastal Health Average

Worst Best

DOMAIN	Indicator	Powell River (%) n = 248	Coastal Rural (%) n = 2027	Vancouver Coastal Health (%) n = 17648	Vancouver Coastal Health Worst (%)	Summary Chart		Vancouver Coastal Health Best (%)
ECONOMIC	Household income under \$40,000	29.3	28.6	35.6	40.4		•	18.6
	Currently unemployed	S	3.2	6.6	9.5		•	3.2
HEALTH General health (excellent/very good)		47.6	54.8	50.3	41.5	•	•	68.2
STATUS	Mental health (excellent/very good)	62.4	63.4	54.9	52.2		•	71.0
	Obesity (BMI 30+)	37.9	26.9	17.0	39.1	•		14.2
	Diabetes	S	6.3	6.6	11.8		•	3.9
	High blood pressure	29.6	19.1	16.4	30.8	•		8.1
	Heart disease	S	5.7	4.1	12.0	•		3.1
	Chronic breathing condition	S	7.1	7.3	10.2		•	4.0
	Arthritis	21.1	15.5	12.4	21.6	•		11.6
	Mood or anxiety disorder	14.1	15.1	16.4	19.9		• •	11.3
	Multiple chronic conditions ¹	13.2	7.8	6.8	13.7	• •		5.8
	Cancer (lung, breast, prostate or colorectal)	7.5	4.9	2.9	7.8	• •		2.4
LIFESTYLE	Binge drinking (1+ times/month) ²	15.4	27.6	23.4	48.3	•	•	15.0
	Smoker (daily/occasional)	11.6	9.7	10.6	13.0	•	•	6.2
	Physical activity (150+ minutes/week)	53.8	57.3	46.4	37.5		• •	68.9
	5+ servings of fruits and vegetables (/day)	35.3	32.2	27.2	20.9		• •	37.1
	Stress (extremely/quite stressed)	14.7	15.0	16.4	18.0		•	7.4
	Screen time (2+ hours/day)	55.0	51.7	48.8	57.7	• •		38.1
	High physical wellness score (10-16) ³	30.5	43.8	40.9	29.3	•	•	55.9
PRIMARY CARE ACCESS	Have a family doctor	83.3	87.1	81.0	76.9		• •	93.2
	Visited health care professional (past 12 months)	85.2	82.1	81.5	76.0		•	87.9
	Visited physician with appointment	75.2	78.8	73.6	69.6		• •	85.8
	Visited walk-in clinic without appointment	S	8.1	16.6	20.5		•	5.3
BUILT ENVIRONMENT	Commute - car	85.5	80.4	45.2	86.9	•		32.7
	Commute - public transit	S	4.1	31.8	4.1	<u> </u>		38.9
	Commute - walk or cycle	8.4	13.5	20.2	8.2	• •		25.7
	Commute time (one way 30+ minutes)	15.2	24.6	50.5	56.0		• •	9.5
	Primary mode to run errands - walk or cycle	S	9.5	28.1	8.1	♦		38.1
	Second hand smoke exposure (public places)	S	11.6	27.6	32.1		•	8.9
	Sidewalks well maintained (strongly/somewhat agree)	51.9	45.2	75.8	4.9	••		79.8
	Amenities within walking/cycling distance (strongly/somewhat agree)	36.6	44.6	74.9	32.9	• •		87.4
	Transit stop (less than 5 minute walk)	77.3	75.8	88.0	68.7	••		93.4
COMMUNITY RESILIENCY	Emergency supplies (3+ days)	36.5	34.7	27.0	17.3		••	44.4
	Food insecure (sometimes/often)	S	4.1	7.3	8.5		•	2.3
	Community belonging (strong/somewhat strong)	78.2	74.3	57.8	53.8		• •	82.3
	4+ people to confide in/turn to for help	48.9	49.9	48.1	41.4		• •	55.9

 $\mathbf{S} = \text{suppressed}$

³ Lifestyles characterised by eating 5+ servings of fruits or vegetables a day, 30+ minutes of walking a day, 150+ minutes of moderate or vigorous physical activity a week, and not smoking. Wellness scores ranged from 0 -16.



¹ Reported diagnosis of two or more of the following: Diabetes, heart disease, stroke, high blood pressure or chronic breathing conditions.

² Five or more drinks on one occasion for males and 4 or more drinks on one occasion for females.